

# Table of Contents

## Introduction

### 1 Scaling Overview

1.1 The Role of Scaling and its Importance.....	1-2
1.1.1 Cruise Based Tenures .....	1-2
1.2 The Evolution of BCs Scaling Practices.....	1-3
1.2.1 British Columbia's Official Scales .....	1-3
1.2.2 History of Log Grading in BC .....	1-7
1.2.3 The Roles and Responsibility for Scaling.....	1-8
1.2.4 Scaling Methods.....	1-9
1.2.4.1 Piece Scaling.....	1-9
1.2.4.2 Weight Scaling.....	1-9
1.2.4.3 Special Forest Products.....	1-10
1.3 The Legal and Administrative Framework for Scaling .....	1-11
1.3.1 General.....	1-11
1.3.2 The <i>Forest Act</i> – Part 6 – Timber Scaling .....	1-11
1.3.3 The <i>Forest Act</i> – Part 6 – Timber Marking.....	1-11
1.4 Who Can Scale?.....	1-13
1.5 Scaling Requirements in British Columbia.....	1-14

### 2 Timber Marking and Branding

2.1 Registered Timber Marks .....	2-3
2.1.1 Purpose of Timber Marks .....	2-4
2.1.2 Timber Marking Requirements.....	2-5
2.1.3 Requirements of the Scaler .....	2-5
2.1.4 Timber Mark Formats .....	2-6
2.1.4.1 Recording Characters.....	2-6
2.1.5 Types of Marks .....	2-7
2.1.5.1 Major Types of Timber Marks.....	2-7
2.1.5.2 Marks for Privately Owned Land .....	2-11
2.2 Log Brands.....	2-12
2.2.1 Scaled Timber Brands.....	2-12
2.2.1.1 Authority .....	2-12
2.2.1.2 Purpose.....	2-12
2.2.1.3 Marking Requirements.....	2-13
2.2.2 Requirements of Scalers and Timber Weighers.....	2-13
2.2.2.1 Format of Scaled Timber Brands .....	2-13
2.2.2.2 Applying for a Scaled Timber Brand (FS 1308).....	2-13
2.3 Marine Log Brands .....	2-14
2.3.1 Authority .....	2-14

2.3.2 Purpose.....	2-14
2.3.3 Marking Requirements.....	2-14
2.3.4 Requirements of Scalers .....	2-14
2.3.5 Format of Marine Log Brands .....	2-15
2.3.6 Applying for a Marine Log Brand .....	2-15
2.4 Log Salvage Identification Marks.....	2-16
2.4.1 Authority .....	2-16
2.4.2 Purpose.....	2-16
2.4.3 Marking Requirements.....	2-16
2.4.4 Format of Log Salvage Identification Marks.....	2-16

### **3 Species Identification and Defects**

3.1 Purpose of Classification by Species .....	3-2
3.2 Common Tree Defects .....	3-6
3.2.1 Disease .....	3-6
3.2.2 Other Natural Defects .....	3-6
3.2.3 Mechanical Defects.....	3-7

### **4 Smalian's Formula**

4.1 Smalian's Formula.....	4-2
4.1.1 Smalian's Formula in Detail.....	4-2
4.2 Log Forms and the Formula.....	4-4
4.2.1 Smalian's Formula - Example Calculation.....	4-8
4.2.2 Smalian's Formula - Simplified .....	4-9
4.2.3 Smalian's Simple Formula - Example Calculation .....	4-10
4.2.4 The Application of Smalian's Formula .....	4-10
4.3 Other Formulae .....	4-11

### **5 Scaling Tools**

5.1 Scaling Tools .....	5-2
5.1.1 BC Metric Scaling Stick .....	5-2
5.1.2 Tally sheets .....	5-2
5.1.3 Hand-held Computers .....	5-2
5.1.4 Volume Tables .....	5-2
5.1.5 Measuring Tapes.....	5-2
5.1.6 Limits of Error .....	5-2
5.2 The BC Metric Scale Stick .....	5-3
5.2.1 Application of the Scale Stick to Measure Diameters .....	5-3
5.2.2 Application of the Scale Stick to Measure Widths and Thicknesses.....	5-3
5.2.3 The Application of the Scale Stick to Measure Lengths.....	5-3
5.2.4 The Application of the Scale Stick for Unit Volumes .....	5-4

5.2.5 The Application of the Scale Stick for Half Volumes .....	5-4
5.3 Log Scale Stick Specifications as Approved for Official Scaling in British Columbia .....	5-14
5.3.1 Parts of a Scale Stick.....	5-16

## 6 Gross Measurement Procedures

6.1 Measurements .....	6-3
6.1.1 Units of Measure.....	6-3
6.1.2 The British Columbia Metric Scale .....	6-3
6.1.3 Errors in Measurement.....	6-3
6.2 Measuring Log Dimensions .....	6-5
6.2.1 Measuring Log Diameters.....	6-5
6.2.1.1 Measuring Round and Out of Round Log Ends.....	6-6
6.2.1.2 Measuring Shattered and Split-Back End Diameters.....	6-7
6.2.1.3 Measuring Irregular End Diameters.....	6-8
6.2.1.4 Measuring Forked End Diameters .....	6-9
6.2.2 Measuring Flared Butt Diameters .....	6-9
6.2.2.1 Calliper.....	6-10
6.2.2.2 Projecting the Normal Line of Taper .....	6-11
6.2.3 Measuring Lengths.....	6-13
6.2.3.1 Length Rounding Conventions and Measuring Tools .....	6-14
6.2.3.2 Finding the Geometric Centre of a Log for Length Measurement .....	6-15
6.2.3.3 Measuring Lengths of Butt Logs with Undercut .....	6-16
6.2.3.4 Measuring Lengths of Logs With Portions Under Ten Centimetres.....	6-17
6.2.3.5 Measuring Lengths of Logs With Shattered Ends .....	6-18
6.2.3.6 Measuring Lengths of Logs with Sniped Ends .....	6-19
6.2.3.7 Measuring Lengths of Logs with Missing Chunks .....	6-20
6.2.3.8 Measuring Lengths of Logs with Forks .....	6-20
6.2.3.9 Measuring Lengths of Logs with Sweep .....	6-22
6.2.3.10 Measuring Lengths of Logs with Crook .....	6-22
6.3 Measuring Slab Ends .....	6-23
6.3.1 Measuring Semicircular Slab Ends .....	6-24
6.3.2 Measuring Slab Ends and Sectors with a Hole .....	6-26
6.3.2.1 Measuring a Semicircular Slab End with Hole.....	6-26
6.3.2.2 Measuring a Slab Sector with Hole .....	6-28
6.3.3 Measuring Sectors (pie wedge slab ends) Smaller than a Semicircle.....	6-28
6.3.3.1 Measuring Small Sectors by Averaging the Dimensions .....	6-30
6.3.3.2 Measuring a True Quadrant and Other Sectors by Applying a Factor.....	6-31
6.3.4 Measuring Slab Sectors and Segments Greater Than a Semicircle .....	6-32
6.3.5 Measuring Four Sided (plank-like, timber-like) Slab Ends .....	6-32
6.3.6 Measuring Triangular (three sided) Slab Ends .....	6-35

## 7 Firmwood Defects and Conventions

7.1 Firmwood Deductions.....	7-2
7.2 Firmwood Deduction Principles .....	7-3
7.3 Geometric Shapes .....	7-4
7.4 Deduction Methods.....	7-5
7.4.1 Gross/Net Method.....	7-6
7.4.2 Net Dimensions Method .....	7-6
7.4.2.1 Length Deduction.....	7-6
7.4.2.2 Average Unit Volumes .....	7-7
7.4.2.3 Diameter Deduction or Radius Reduction Method.....	7-8
7.5 Conventions for Estimating Rot.....	7-9
7.5.1 Scaling Conventions versus Local Knowledge.....	7-9
7.6 Formulas and Their Terms.....	7-10
7.7 Defect Conventions and Examples .....	7-11
7.7.1 Conical Defects.....	7-11
7.7.2 Butt Rot Conventions.....	7-11
7.7.3 Butt Defect - Butt Rot (Conical) Partial Length of Log .....	7-12
7.7.3.1 Example and Illustration - Butt Rot Visible at Butt End of Log ....	7-12
7.7.3.1 The Gross/Net Calculation- Butt Rot.....	7-13
7.7.3.2 The Net Dimensions Calculation – Butt Rot .....	7-14
7.7.3.3 Example and Illustration - Butt Rot Visible at Both Ends of Log.....	7-14
7.7.4 The Catface (Conical) .....	7-19
7.7.4.1 Example and Illustration - Single Catface .....	7-19
7.7.4.2 The Gross/Net Calculation – Single Catface .....	7-19
7.7.4.3 Net Dimensions Calculation - Single Catface .....	7-20
7.7.5 The Catface (Double Conical) .....	7-21
7.7.5.1 Example and Illustration - Double Catface.....	7-22
7.7.5.2 The Gross/Net Calculation – Double Catface.....	7-22
7.7.5.3 Net Dimensions Calculation - Double Catface .....	7-23
7.7.6 Standard Heart Rot Conventions .....	7-24
7.7.6.1 Cylindrical Defects .....	7-24
7.7.6.2 Heart Defect – Conventions - Partial Length.....	7-27
7.7.7 Assessing Conk, Indian Paint Fungus and Pin Rot.....	7-29
7.7.7.1 Basic Conk Assessments.....	7-30
7.7.7.2 Assessing Conk Rot; Visible Conk Knot(s), No Rot Visible .....	7-31
7.7.7.3 Assessing Conk Rot; Visible Conk Knot(s), Rot Visible at One End.....	7-31
7.7.7.4 Assessing Conk Rot; No Visible Conk Knot(s), Rot Visible at One End .....	7-32
7.7.8 Ring Defect .....	7-33
7.7.8.1 Ring Rot Conventions.....	7-33
7.7.8.2 Ring Defect - Through Running .....	7-33
7.7.8.3 Ring Defect - Partial Length of Log .....	7-36
7.7.9 Pocket Defects .....	7-39

7.7.9.1 Pocket Rot Conventions.....	7-39
7.7.9.2 Pocket Defect - Partial Length.....	7-44
7.7.10 Triangular defects .....	7-46
7.7.10.1 Example and Illustration - Triangular Defect .....	7-46
7.7.10.2 The Gross/Net Calculation – Triangular Defect .....	7-47
7.7.10.3 Net Calculation - Triangular Defects.....	7-48
7.7.11 Sap Rot Conventions.....	7-49
7.7.11.1 Sap Rot Examples and Calculations .....	7-49
7.7.11.2 Gross/Net Calculation – Sap Rot, Full Length .....	7-49
7.7.11.3 Net Dimensions Calculation-Sap Rot-Full Length .....	7-50
7.7.11.4 Net Dimensions Calculations – Diameter Deduction .....	7-51
7.7.12 Other Defects .....	7-51
7.7.12.1 Missing Segments .....	7-52
7.7.13 Missing Sectors.....	7-54
7.7.13.1 Example and Illustration – Missing Segment/Surface Defect .....	7-55
7.7.13.2 The Gross/Net Calculation – Sector Defect.....	7-55
7.7.13.3 Net Dimensions Calculation - Sector Defect .....	7-56
7.7.14 Assessing Goitre .....	7-57

## **8 Timber Grading**

8.1 Timber Grading.....	8-2
8.2 Timber Grading Requirements .....	8-3
8.3 Principles of Timber Grading .....	8-4
8.3.1 Characteristics Which Reduce Product Recovery (Quantity).....	8-6
8.3.1.1 Fractures and Fibre Separation .....	8-6
8.3.1.2 Bark Seams .....	8-9
8.3.1.3 Sweep, Crook and Pistol Grip.....	8-9
8.3.1.4 Rot, Hole, Char, and Missing Wood.....	8-9
8.3.2 Characteristics Which Reduce Product Recovery (Quality).....	8-10
8.3.2.1 Twist (Spiral Grain) .....	8-11
8.3.2.2 Knots.....	8-13
8.3.2.3 Insect or Worm Holes .....	8-19
8.3.2.4 Non-Permissible Defects .....	8-19
8.3.2.5 Grain Density (Ring Count) - Coastal Grading Only .....	8-19
8.3.2.6 Compression Wood (Interior only) .....	8-20
8.4 Applying the Principles of Grading .....	8-22
8.4.1 Determining Grade Reduction .....	8-23
8.4.2 Log Size .....	8-23
8.4.2.1 Length .....	8-24
8.5 Assessing Product Recovery .....	8-25
8.5.1 Lengths of Defects .....	8-26
8.5.2 Determining Grade Reduction for Collars (Shells) .....	8-26
8.5.3 Determining Grade Reduction for Sound Hearts (Residual Cores).....	8-28
8.5.4 Determining Grade Reduction for Multiple Defects .....	8-31
8.5.5 Slab Thickness and Grading .....	8-32

8.5.5.1 For Coastal Grades.....	8-33
8.5.5.2 For Interior Grades.....	8-34
8.6 Determining Trim Allowance .....	8-35
8.6.1 The Application of Trim Allowance for Butt Rots .....	8-40
8.6.2 Trim Allowance and Ring Shake .....	8-43
8.6.3 Trim Allowance and Ring Rot .....	8-46
8.6.4 Trim Allowance and Multiple Ring Rot .....	8-49
8.6.5 Application of Trim Allowance to Checks and Shake.....	8-53
8.6.6 Application of Trim Allowance to Off Centre and Overlapping Defect .....	8-55
8.6.7 Determining Grade Reduction for Spiral Checks .....	8-58
8.6.8 Determining Lengths for Grading Purposes – Logs and Log Segments .....	8-60
8.6.9 Assessing Grade in Logs with Crook, Pistol Grip and Sweep.....	8-66
8.6.9.1 Crook.....	8-66
8.6.9.2 Pistol Grip .....	8-66
8.6.9.3 Sweep.....	8-67

## 9 Interior Grading

9.1 Interpreting the Schedule of Interior Timber Grades.....	9-2
9.1.1 Grade Applicability.....	9-2
9.1.2 Grade Precedence.....	9-2
9.1.3 Identifying Undersized Logs in the Interior.....	9-3
9.2 Physical Characteristics Affecting Log Grades .....	9-4
9.2.1 Compression Wood.....	9-4
9.2.2 Checks.....	9-4
9.2.3 Procedures for Assessing Checks under the Grade Code 2 Log Requirements to Make the Grade: .....	9-4
9.2.4 Delay in Scaling.....	9-5
9.3 Potential for Manufacture of Product - Quantity .....	9-6
9.3.1 Log Size .....	9-6
9.3.2 Insect or Worm Holes .....	9-6
9.4 Potential for Manufacture of Products - Quality.....	9-7
9.4.1 Occasional Oversized Knots .....	9-7
9.4.2 Knot Spacing.....	9-7
9.4.3 Twist (Spiral Grain) .....	9-8
9.4.4 Non-Permissible Defects .....	9-8
9.5 Interior Grade Rules and Application .....	9-9
9.5.1 Firmwood Reject - Grade Code Z (weight scale, species code or species code R) .....	9-9
9.5.1.1 Grade Rule .....	9-9
9.5.1.2 Application of the Grade Rule .....	9-9
9.5.2 Undersized Log Grade- Grade Code 6.....	9-9
9.5.2.1 Grade Rule .....	9-9
9.5.2.2 Log Requirements to Make the Grade .....	9-9

9.5.3 Premium Sawlog- Grade Code 1 .....	9-10
9.5.3.1 Grade Rule .....	9-10
9.5.3.2 Log Requirements to Make the Grade .....	9-10
9.5.4 Sawlog - Grade Code 2 .....	9-12
9.5.4.1 Grade Rule .....	9-12
9.5.4.2 Log Requirements to Make the Grade .....	9-12
9.5.5 Lumber Reject Grade Code 4 .....	9-14
9.5.5.1 Grade Rule .....	9-14
9.5.5.2 Log Requirements to Make the Grade .....	9-14

## **10 Coast Grading**

10.1 Interpreting the Schedule of Coast Timber Grades.....	10-2
10.1.1 Grade Applicability.....	10-2
10.1.2 Grade Precedence.....	10-2
10.2 Physical Characteristics Affecting Log Grades .....	10-3
10.2.1 Potential for Manufacture of Products - Quantity.....	10-3
10.2.2 Log Size .....	10-3
10.2.2.1 Length .....	10-3
10.3 Potential for Manufacture of Products - Quality.....	10-4
10.3.1 Size of Knots.....	10-4
10.3.2 Occasional Oversized Knots .....	10-4
10.3.3 Pitch .....	10-4
10.3.4 Growth Rate (Ring Count).....	10-4
10.3.5 Stain .....	10-5
10.4 Coast Grade Rules and Requirements.....	10-6
10.4.1 Firmwood Reject - All Species - Grade Code Z (species code or code R) .....	10-6
10.4.1.1 Grade Rule .....	10-6
10.4.2 Coniferous Grades .....	10-6
10.4.3 Balsam and Hemlock Grades.....	10-6
10.4.3.1 No 1 Lumber Balsam and Hemlock, Grade Code D .....	10-7
10.4.3.2 No. 2 Lumber Balsam and Hemlock, Grade Code F .....	10-7
10.4.3.3 No. 2 Sawlog Balsam and Hemlock, Grade Code H .....	10-8
10.4.3.4 No. 3 Sawlog Balsam and Hemlock, Grade Code I.....	10-9
10.4.3.5 No. 4 Sawlog Balsam and Hemlock, Grade Code J .....	10-9
10.4.3.6 No. 5 Chipper Balsam and Hemlock, Grade Code U .....	10-10
10.4.4 Cedar Grades.....	10-11
10.4.4.1 Lumber Grades.....	10-11
10.4.4.2 No. 1 Lumber Cedar, Grade Code D .....	10-11
10.4.4.3 No. 2 Lumber Cedar, Grade Code F .....	10-12
10.4.4.4 Sawlog Grades .....	10-12
10.4.4.5 No. 2 Sawlog Cedar, Grade Code H .....	10-13
10.4.4.6 No. 3 Sawlog Cedar, Grade Code I.....	10-13
10.4.4.7 No. 4 Sawlog Cedar, Grade Code J .....	10-14
10.4.4.8 Shingle Grades .....	10-14

10.4.4.9 No. 1 Shingle Cedar, Grade Code K.....	10-15
10.4.4.10 No. 2 Shingle Cedar, Grade Code L .....	10-16
10.4.4.11 No. 3 Shingle Cedar, Grade Code M .....	10-16
10.4.5 Cypress Grades .....	10-17
10.4.5.1 No. 1 Lumber Cypress, Grade Code D .....	10-17
10.4.5.2 No. 2 Lumber Cypress, Grade Code F.....	10-18
10.4.5.3 No. 2 Sawlog Cypress, Grade Code H.....	10-18
10.4.5.4 No. 3 Sawlog Cypress, Grade Code I .....	10-19
10.4.6 Fir and Pine Grades.....	10-19
10.4.6.1 No. 1 Lumber Fir and Pine, Grade Code D .....	10-20
10.4.6.2 No. 2 Lumber Fir and Pine, Grade Code F .....	10-20
10.4.6.3 No. 2 Peeler Fir, Grade Code B .....	10-21
10.4.6.4 No. 3 Peeler Fir, Grade Code C .....	10-23
10.4.6.5 No. 2 Sawlog Fir and Pine, Grade Code H .....	10-25
10.4.6.6 No. 3 Sawlog Fir and Pine, Grade Code I.....	10-26
10.4.7 Spruce Grades .....	10-27
10.4.7.1 No. 1 Premium Spruce, Grade Code D.....	10-27
10.4.7.2 No. 2 Premium Spruce, Grade Code E .....	10-27
10.4.7.3 No. 1 Lumber Spruce, Grade Code F .....	10-28
10.4.7.4 No. 2 Lumber Spruce, Grade Code G.....	10-29
10.4.7.5 No. 2 Sawlog Spruce, Grade Code H .....	10-30
10.4.7.6 No. 3 Sawlog Spruce, Grade Code I .....	10-31
10.4.8 No. 4 Sawlog All Coniferous, Grade Code J .....	10-32
10.4.8.1 Grade Rule .....	10-32
10.4.8.2 Log Requirements to Make the Grade .....	10-32
10.4.9 No. 5 Utility All Coniferous, Grade Code U (except Balsam and Hemlock) .....	10-33
10.4.9.1 Grade Rule .....	10-33
10.4.9.2 Log Requirements to Make the Grade .....	10-33
10.4.10 No. 6 Chipper All Coniferous, Grade Code X.....	10-34
10.4.10.1 Grade Rule .....	10-34
10.4.10.2 Log Requirements to Make the Grade .....	10-34
10.4.11 No. 7 Chipper All Coniferous, Grade Code Y .....	10-34
10.4.11.1 Grade Rule .....	10-34
10.5 Broadleaf Species And Yew .....	10-35
10.5.1 Applicability .....	10-35
10.5.2 Sawlog, Grade Code W .....	10-35
10.5.2.1 Grade Rule .....	10-35
10.5.2.2 Log Requirements to Make the Grade .....	10-35
10.5.2.3 Chipper, Grade Code Y .....	10-35
10.6 Applying the Principles of Grading Using Field Methods .....	10-36
10.6.1 Formula #1 .....	10-36
10.6.2 Formula #2 .....	10-37
10.6.3 Formula #3 .....	10-37
10.6.3.1 For Converting Grade Reduction in Metres to a Percentage .....	10-37

10.6.3.2 For Estimating Grade Reduction Percentage from Length Losses .....	10-37
---	-------

## 11 Documenting and Reporting Scale

11.1 Scale Documentation .....	11-3
11.1.1 Introduction.....	11-3
11.1.2 Documentation Conventions.....	11-3
11.1.3 Electronic Reporting .....	11-4
11.2 Scale Returns .....	11-5
11.2.1 Type of Scale .....	11-5
11.2.1.1 FS 1211 - Piece Scale Detailed Log Listing (NET).....	11-6
11.2.1.2 FS 1212 - Beachcomb Piece Scale Detailed Log Listing (NET).....	11-7
11.2.1.3 FS 1217 - Weight Slip.....	11-8
11.2.1.4 FS 1210 - Sample Scale Detailed Log Listing (NET) .....	11-9
11.2.2 Electronic Weight Scale Documentation/Reports .....	11-10
11.2.2.1 Computer Generated Weight Slip.....	11-13
11.2.2.2 FS 222 - Special Forest Products Scale Return and Transportation Document.....	11-15
11.2.2.3 FS 200 - Christmas Tree Return .....	11-16
11.2.2.4 FS 701 - Volume Estimate - Other .....	11-17
11.3 Administrative Documents .....	11-18
11.4 Timing Requirements for Submitting Scale Data.....	11-23
11.4.1 Weight Scale Site.....	11-23
11.4.2 Piece Scale Site .....	11-23
11.4.3 Penalties for Late Submission of Scale Returns .....	11-24
11.4.4 Electronic Submission of Scale Results.....	11-25
11.5 Scale Data Computation and Documentation Standards and Controls.....	11-26
11.5.1 Compliance Checking.....	11-27
11.6 Correction of Errors .....	11-28
11.6.1 Key Punch/coding Errors.....	11-28
11.6.2 Measurement/Grade Errors and Missing Dimensions .....	11-28
11.7 Data Loss .....	11-29
11.7.1 Conventions to Minimize Data Loss.....	11-29
11.7.2 Reconstructing Data Which is Lost .....	11-30
11.8 Access to Scale Data.....	11-32
11.9 Invoices and Volume Statements.....	11-33

## 12 Special Forest Products

12.1 Special Forest Products.....	12-2
12.2 Definition of Special Forest Products .....	12-3
12.2.1 Classification as Special Forest Products .....	12-3
12.2.2 Exporting Special Forest Products.....	12-4

12.3 General Requirements.....	12-5
12.3.1 Scaling.....	12-5
12.3.2 Recording the Scale .....	12-5
12.4 Special Forest Product Descriptions .....	12-6
12.4.1 Christmas Trees .....	12-6
12.4.2 Firewood .....	12-6
12.4.3 Mining Timbers .....	12-7
12.4.4 Stakes and Sticks.....	12-7
12.4.5 Cants .....	12-11
12.4.6 Posts and Rails (Split and Round) .....	12-11
12.4.7 Shake and Shingle Bolts, Blocks and Blanks .....	12-14
12.4.8 Shakes .....	12-15
12.4.9 Woodchips .....	12-16
12.4.10 Hogged Tree Material .....	12-16
12.5 General Requirements.....	12-17
12.5.1 Timber Marking .....	12-17
12.5.2 Transport Documentation .....	12-17
12.5.3 Document Handling for Special Forest Products.....	12-18
12.6 Special Forest Product Scaling Methods .....	12-19
12.6.1 Round Piece Sampling Method .....	12-20
12.6.1.1 Calculation of the Piece Sampling Method .....	12-21
12.6.2 Stacked Special Forest Products Method.....	12-23
12.6.3 Christmas Tree Piece Count Method .....	12-27
12.6.4 Estimating Volumes of Tree Length Piles .....	12-29
12.6.4.1 Sampling the Pile and Counting Pieces .....	12-29
12.6.4.2 Measuring the Pile and Applying a Factor .....	12-30
12.6.5 Finding Piece Sample Requirements .....	12-33
12.7 Botanical Forest Products .....	12-35
12.7.1 Medicinal and Pharmaceutical Products .....	12-36
12.6.2 Wild Edible Mushrooms .....	12-36
12.7.2 Floral and Greenery Products .....	12-37
12.7.3 Wild Berries and Fruit .....	12-37
12.7.4 Herb and Vegetable Products.....	12-38
12.7.5 Landscaping Products .....	12-38
12.7.6 Craft Products .....	12-39
12.7.7 Miscellaneous Botanical Forest Products .....	12-39
12.8 Other Product Descriptions.....	12-40
12.8.1 Woodchips and Hogged Tree Material .....	12-40
12.9 Condensed Table of Half Volumes.....	12-42
12.9.1 Application of the Table .....	12-42
12.9.2 Table of Full Volumes for Round Fence Posts.....	12-45

## 13 The Weight Scale System

13.1 Weight Scaling - Overview of the System.....	13-3
13.1.1 Background .....	13-3

13.1.2 Estimating Volumes Under Weight Scaling .....	13-3
13.1.3 Objectives of the Weight Scale System .....	13-4
13.1.4 Elements of Weight Scaling.....	13-5
13.1.4.1 Agreement.....	13-5
13.1.4.2 The Weight Scale Sample Plan.....	13-5
13.1.4.3 Sampling Frequency .....	13-5
13.1.4.4 Weighing Loads and Processing Samples .....	13-6
13.1.4.5 Compilation and Reporting Requirements.....	13-6
13.1.4.6 Unattended Scale Sites (not operated by a Timber Weigher).....	13-6
13.2 Statistics Underlying the Weight Scale System.....	13-7
13.2.1 Statistical Concepts .....	13-7
13.2.1.1 An Overview of Estimating Using Statistics .....	13-7
13.2.1.2 Accuracy and Precision.....	13-9
13.2.1.3 Determining the Sample Size.....	13-10
13.2.1.4 Stratified Random Sampling.....	13-11
13.2.1.5 The Weight Scale Sampling Plan .....	13-13
13.2.1.6 Chapter Summary .....	13-14
13.3 Summary of Statistical Formulae in Weight Scaling.....	13-15
13.3.1 Ratio of a Stratum .....	13-15
13.3.2 Estimate of Total Volume in a Stratum (From a Sample) .....	13-16
13.3.3 Estimate of Variance of Total Volume in a Stratum (From a Sample).....	13-16
13.3.4 Estimate of Variance for Load Volumes in a Stratum (From a Sample).....	13-17
13.3.5 Precision of the Estimated Volume of a Stratum (From a Sample)....	13-17
13.3.6 Estimate of Total Volume in a Population (Combining Strata).....	13-18
13.3.7 Estimate of Variance of Total Volume in a Population (Combining Strata) .....	13-18
13.3.8 Precision of the Estimated Total Volume in a Population (From a Sample).....	13-18
13.3.9 Sample Size (for Planning) .....	13-19
13.3.9.1 Required for the Population .....	13-19
13.3.9.2 A Stratum Containing a Pre-specified Target Precision (for Planning) .....	13-20
13.3.9.3 Sample Size for a Population Containing Some Pre-specified Strata (for Planning) .....	13-21
13.3.10 Relative Variance of a Stratum (from a Sample).....	13-22
13.3.11 Relative Variance of a Population (From a Sample) .....	13-22
13.3.12 Combining Strata .....	13-23
13.3.13 Dividing Strata (Splitting of Strata) .....	13-23

## 14 Weight Scale Sampling

14.1 Setting Up the Sampling Plan .....	14-3
14.1.1 Defining the Weight Scale Population.....	14-3
14.1.1.1 The Sampling Plan.....	14-4

14.1.2 PSY .....	14-5
14.1.3 Setting the Sampling Objectives .....	14-5
14.1.3.1 Sampling Objectives .....	14-5
14.1.3.2 Precision Requirements .....	14-5
14.1.4 Stratification to Meet the Sampling Objectives .....	14-6
14.1.4.1 Why We Stratify .....	14-6
14.1.4.2 How are the Objectives of Stratification Met .....	14-6
14.1.4.3 Common Stratification Methods.....	14-10
14.1.5 Determining and Allocating the Sample Size.....	14-12
14.1.5.1 Subsampling.....	14-14
14.1.6 Selecting and Processing Samples .....	14-14
14.2 Monitoring Sampling Plan Progress and Weight Scale Results .....	14-16
14.2.1 During the Sampling Year .....	14-16
14.2.2 At Year-end.....	14-16
14.3 Managing the Sampling Plan .....	14-19
14.3.1 Management Responsibility.....	14-19
14.3.2 Revising the Sampling Plan .....	14-19
14.3.3 Sample Plan Revisions.....	14-20
14.3.4 Options.....	14-21
14.3.4.1 Stratum 01 .....	14-22
14.3.4.2 Stratum 02 .....	14-22
14.3.4.3 Stratum 03 .....	14-23
14.3.5 Sampling Plan Amendments.....	14-23
14.3.6 Standard Deviations .....	14-23
14.4 Operational Procedures to Ensure Sampling Plan Integrity .....	14-25
14.4.1 Inspecting Loads Before Weighing .....	14-25
14.4.2 Processing the Load .....	14-25
14.4.2.1 Previously Scaled Timber .....	14-25
14.4.2.2 Unscaled Timber .....	14-26
14.4.3 Managing Sample Loads.....	14-26
14.4.4 Loads Not Suitable for the Sample Plan .....	14-27
14.4.5 Importance of Accurate Stratification.....	14-28
14.4.6 Testing of Weight Scales for Accuracy (Eccentricity Test) .....	14-28
14.4.7 Records Management at a Weight Scale .....	14-31
14.4.8 Changes to Scale Data .....	14-31
14.4.9 Emergency Procedures.....	14-31
14.5 Emergency Procedures in the Event of a Weight Scale Breakdown .....	14-33
14.5.1 Breakdown of the Weighing Device (Weight Indicator is Unavailable or Inaccurate) .....	14-33
14.5.2 Alternatives to Weight Scaling .....	14-33
14.5.2.1 Responsibilities .....	14-34
14.5.3 Breakdown of the Weight Scale Computer or Sample Selector .....	14-34
14.5.4 Procedures.....	14-34

## 15 Scaling Administration

15.1 The Roles and Responsibilities for Scaling .....	15-3
15.2 Scale Site Application and Authorization.....	15-4
15.2.1 Site Registration.....	15-4
15.2.2 Applicants Responsibilities.....	15-4
15.2.3 Ministry Responsibilities .....	15-4
15.2.4 Scale Site Authorizations.....	15-6
15.2.4.1 Content of a Scale Site Authorization.....	15-6
15.2.4.2 Ministry Responsibilities .....	15-7
15.3 Designating the Place of Scale.....	15-10
15.3.1 Applicant's Responsibilities .....	15-10
15.3.2 Ministry Responsibilities .....	15-12
15.3.3 Scaler and Scale Site Operator's Responsibilities .....	15-14
15.4 The Training, Examination and Licensing of Scalors.....	15-15
15.4.1 Scaler Training.....	15-15
15.4.2 Scaling Examination .....	15-15
15.4.3 Examination Procedures .....	15-15
15.4.4 Requirements to Take the Examination .....	15-16
15.4.4.1 Applications .....	15-16
15.4.4.2 Payment of Examination Fees .....	15-18
15.4.5 The Administration of Scaling Licences.....	15-18
15.4.5.1 Marking Requirements.....	15-18
15.4.5.2 Review by Unsuccessful Candidates .....	15-18
15.4.6 Other Examination and Endorsements.....	15-18
15.4.6.1 Scaling Endorsements .....	15-18
15.4.6.2 Re-examinations .....	15-18
15.4.6.3 Other Examinations .....	15-19
15.4.7 Scalors Oath .....	15-19
15.5 Authorization and Appointments of Scalors .....	15-20
15.5.1 Legal Requirement for Authorization and Appointments .....	15-20
15.5.1.1 Administrative Reasons for Authorization and Appointments ...	15-20
15.5.2 Terms of Requirements of Authorization and Appointments.....	15-20
15.5.2.1 Official Scalors.....	15-20
15.5.2.2 Licensed Scalors.....	15-21
15.5.2.3 Acting Scalors .....	15-21
15.5.2.4 Forest Service Scalors .....	15-21
15.5.3 How to Obtain an Authorization and/or Appointment .....	15-22
15.5.4 Authorization Conditions.....	15-23
15.6 Assessing Compliance with Scaling Requirements .....	15-25
15.6.1 Check Scaling .....	15-25
15.6.1.1 Purpose of Check Scaling .....	15-25
15.6.1.2 Conducting a Check Scale .....	15-25
15.6.1.3 Check Scale Frequency .....	15-26
15.6.1.4 Division of Responsibilities – The Scaler.....	15-26
15.6.1.5 Division of Responsibilites – The Site Operator .....	15-26

15.6.2 Checks to be Made.....	15-27
15.6.2.1 Piece Scale .....	15-27
15.6.2.2 Weight/Sample Scale .....	15-27
15.6.2.3 Special Forest Products - Stacked.....	15-28
15.6.2.4 Special Forest Products - Piece Sampling .....	15-28
15.6.3 Actions on Completion of the Check Scale .....	15-28
15.6.3.1 Check Scale Advisory.....	15-28
15.6.3.2 Replacement of the Original Scale by a Check Scale.....	15-28
15.6.3.3 Update Scaler File and Records.....	15-29
15.6.3.4 Second Check Scale.....	15-29
15.6.3.5 Second Scales.....	15-30
15.6.3.6 Suspension of a Scaling Licence.....	15-30
15.6.3.7 Cancellation of a Scaling Licence.....	15-31
15.6.4 Scale Site Inspections .....	15-31
15.6.4.1 Purpose of Scale Site Inspections .....	15-31
15.6.4.2 What to Expect From a Scale Site Inspection.....	15-31
15.6.4.3 Actions on Completion of a Scale Site Inspection.....	15-34

## Appendices

Appendix 1 Standards for Computing Log and Segregation Volumes.....	A-2
---	-----

## Glossary of Terms

# Figures

Figure 1.1 The B.C. Log Rule.....	1-3
Figure 1.2 The Smalian Formula. ....	1-4
Figure 1.3 Scaling in B.C. – Principal Events. ....	1-6
Figure 4.1 The Smalian Formula. ....	4-2
Figure 4.2 Depictions of Three Typical Log Forms. ....	4-4
Figure 4.3 Graph of the Effects of Taper on Log Volume.....	4-5
Figure 4.4 Two Ways to Visualize Smalian's Formula. ....	4-6
Figure 4.5 Measurements for Finding the Values.....	4-7
Figure 5.1 Basic Parts of the Official BC Metric Scale Stick. ....	5-5
Figure 5.2 Sides and Edge of a BC Metric Scale Stick. ....	5-6
Figure 5.3 Locating Centimetres from the Edge of a BC Metric Scale Stick.....	5-7
Figure 5.4 Scale Stick Edges Showing the Red Markings for Length Measurements. ....	5-8
Figure 5.5 Using the BC Metric Scale Stick to Calculate Half Volumes. ....	5-9
Figure 5.6 Use of the Side and Edge of the Stick in Calculating 2 m Half Volumes. ....	5-10
Figure 5.7 Obtaining Unit Volumes (or.....	5-11
Figure 5.8 Using the Side and Edge of the Stick for Lengths in Tenths of Metres. ....	5-12
Figure 5.9 BC Metric Log Scale Stick – Specifications Sketch. ....	5-16
Figure 6.1 The Method for Measuring and Averaging Diameters.....	6-6
Figure 6.2 The Method for Measuring Shattered and Split Back Ends. ....	6-7
Figure 6.3 The Method for Measuring Irregular Diameters – Except Flared Butts. ....	6-8
Figure 6.4 The Method of Measuring Butt Diameter by Calliper.....	6-11
Figure 6.5 Method of Measuring Butt Diameter by Projecting the Normal Log Taper. ....	6-13
Figure 6.6 Length Measurement of Logs Through the Geometric Centre. ....	6-15
Figure 6.7 Length Measurement of Logs with Undercut. ....	6-16
Figure 6.8 Length Measurement of Logs and Slabs with Segment Under 10 cm.....	6-17
Figure 6.9 Length Measurement of Logs with Shattered End. ....	6-18
Figure 6.10 Length Measurement of a Partially Bucked Split Back (sniped) End. ....	6-19
Figure 6.11 Length Measurement of a Log with Missing Chunk. ....	6-20
Figure 6.12 Length Measurement of Forekd Logs.....	6-21
Figure 6.13 Length Measurements of Logs with Sweep. ....	6-22
Figure 6.14 Length Measurement of Logs with Crook.....	6-22
Figure 6.15 Typical Slab Shapes. ....	6-23
Figure 6.16 Measurement of a Semicircular Slab End. ....	6-24
Figure 6.17 Measurement of a Semicircular Slab End with Hole. ....	6-26
Figure 6.18 Measurement of a Sector Slab End with Hole.....	6-28
Figure 6.19 Measurement of Sectors (pie wedge slab ends). ....	6-29
Figure 6.20 Measurement of Four-sided (quadrilateral) Slab Ends.....	6-33

Figure 6.21 Measurement of Triangular or Wedge-shaped Slab Ends.....	6-35
Figure 7.1 The Geometric Shapes Used in Scaling and Firmwood Deductions.....	7-4
Figure 7.2 A Log with Butt Rot – One End Visiable.....	7-13
Figure 7.3 A Log with Butt Rot – Through Running. ....	7-15
Figure 7.4 A Log with Conical Catface. ....	7-19
Figure 7.5 A Log with a Double Conical Catface. ....	7-22
Figure 7.6 A Log with Through-running Heart Rot. ....	7-25
Figure 7.7 A Log with Partial Length Heart Rot. ....	7-28
Figure 7.8 A Log with Through-running Ring Rot. ....	7-34
Figure 7.9 A Log with Partial Length Ring Rot. ....	7-36
Figure 7.10 A Log with Through-running Pocket Rot. ....	7-40
Figure 7.11 A Log with Partial-length Pocket Rot. ....	7-43
Figure 7.12 A Log with Partial-length Triangular Defect. ....	7-45
Figure 7.13 A Log with Sap Rot. ....	7-48
Figure 7.14 A Log with Missing Segment. ....	7-51
Figure 7.15 A Log with Sector Defect Extending to the Heart. ....	7-54
Figure 8.1 Minimum Dimensions for Recovery. ....	8-6
Figure 8.2 Weather Checking. ....	8-8
Figure 8.3 An Example of Irregular Surface Checks. ....	8-8
Figure 8.4 An Example of a ‘Skipping’ Irregular Surface Checks. ....	8-9
Figure 8.5 Measuring Twist – Placing the Stick. ....	8-12
Figure 8.6 Measuring Twist – Reading the Deflection. ....	8-12
Figure 8.7 Measuring Knot Diameters. ....	8-13
Figure 8.8 Measuring Bunch (cluster) Knots. ....	8-15
Figure 8.9 Assessing Knots – Coast and Interior. ....	8-16
Figure 8.10 Knots and Midpoint. ....	8-17
Figure 8.11 Oversized Knots Distributed Over Entire Surface. ....	8-18
Figure 8.12 Oversized Knots Near the Top of the Log. ....	8-18
Figure 8.13 Oversized Knots on One Side. ....	8-18
Figure 8.14 Measuring Compression Wood (the shaded area is the area of grade consideration). ....	8-21
Figure 8.15 Examples of Logs with a Portion of the Collar Too Thin to Produce Lumber. ....	8-28
Figure 8.16 Examples of Logs with Entire Collar Too Thin to Produce Lumber. ....	8-28
Figure 8.17 Examples of Logs with Sufficient Collar to Produce Lumber. ....	8-28
Figure 8.18 Sap Rot. ....	8-29
Figure 8.19 Advanced Sap Rot. ....	8-29
Figure 8.20 Residual Core is a Grade Reduction. ....	8-30
Figure 8.21 Shaded Areas are Unsuitable for the Recovery of Lumber. ....	8-31
Figure 8.22 Slabs with Portions Meeting the Grade Rule. ....	8-32
Figure 8.23 Measure Minimum Thicknesses at Right Angles to the Grain. ....	8-33
Figure 8.24 The Application of Trim Allowance Around Heart Rot and Hole. ....	8-36
Figure 8.25 Collar Too Thin to Cut Lumber e. ....	8-38
Figure 8.26 Trim and the Twenty Percent Rule. ....	8-39
Figure 8.27 Simple Butt Rot. ....	8-40

Figure 8.28 Through Running Butt Rot.....	8-41
Figure 8.29 Irregular Butt Defects in a Fluted Butt Log.....	8-42
Figure 8.30 Ring Shake and Both Collar and Core are Thick Enough to Produce Lumber.....	8-43
Figure 8.31 Ring Shake and Only the Core is Thick Enough to Produce Lumber.....	8-44
Figure 8.32 Ring Shake and Only the Collar is Thick Enough to Produce Lumber.....	8-45
Figure 8.33 Both Core and Collar Meet the Grade Rule.....	8-46
Figure 8.34 Only the Collar Meets the Grade Rules.....	8-47
Figure 8.35 Only the Core Meets the Grade Rule.....	8-48
Figure 8.36 Multiple Ring Rot and the Firmwood Between Rings is Less Than 5 Rads.....	8-49
Figure 8.37 Multiple Ring Rot and the Firmwood Between Rings is 5 Rads or More.....	8-50
Figure 8.38 Partial Ring Rot 2 Rads Thick.....	8-52
Figure 8.39 Irregular Heart Check.....	8-54
Figure 8.40 Extensive Surface Checking.....	8-55
Figure 8.41 Trim Allowance for Check and Split in Relation to Collars.....	8-55
Figure 8.42 Trim Allowance for Multiple Heart Check.....	8-56
Figure 8.43 The Application of Trim Allowance to Off Centre Defects.....	8-57
Figure 8.44 The Application of Trim Allowance to Overlapping Defects.....	8-58
Figure 8.45 Logs Shorter Than 5 Metres are Assessed on Their Length.....	8-59
Figure 8.46 Logs 5 Metres and Longer are Assessed in 2.5 Metre Segments.....	8-60
Figure 8.47 Log with Spiral Heart Check.....	8-60
Figure 8.48 Short Breakage Pieces Contained in a Conventional Load.....	8-62
Figure 8.49 Rat Tail Tops Delivered with a Short Segment Over 10 cm.....	8-63
Figure 8.50 Assessing Grade in Log with Severe Heart Rot and Residual Length is Too Short to Cut Lumber.....	8-64
Figure 8.51 Examples of Short Logs Left After Bucking at the Scale Site and Deemed to be 2.5 m Long (Interior) and 5.2 m Long (Coast).....	8-65
Figure 8.52 Example of Logs Cut to Special Forest Product Lengths but Not Classified as Such and Deemed to be 2.5 m Long (Interior) and 5.2 m Long (Coast).....	8-66
Figure 8.53 Visually Bucking a Log with Crook to Assess Lumber Recovery.....	8-67
Figure 8.54 Visually Bucking a Log with Pistol Grip to Assess Lumber Recovery.....	8-67
Figure 8.55 Visually Bucking a Log with Sweep to Assess Lumber Recovery.....	8-68
Figure 8.56 An Ellipse Shape is Created When Sweep Misaligns the Two Ends of a Log.....	8-68
Figure 8.57 Measuring the Offset for 2.5 m Log.....	8-70
Figure 8.58 Measuring the Offset of Logs 2.5 m to 4.9 m.....	8-71
Figure 9.1 Measuring Diameter for Interior Undersize Grade.....	9-3
Figure 9.2 Knot Spacing Measurement.....	9-7
Figure 11.1 FS 1211 – Piece Scale Detailed Log Listing (NET).....	11-6
Figure 11.2 FS 1212 – Beachcomb Piece Scale Detailed Log Listing.....	11-7

Figure 11.3 FS 1217 – Weigh Slip.....	11-8
Figure 11.4 FS 1210 – Sample Scale Detailed Log Listing (NET). .....	11-9
Figure 11.5 Weight Scale Safety Sheet Example. ....	11-10
Figure 11.6 Weight Scale Daily Audit Log Example.....	11-11
Figure 11.7 Weight Slip Example.....	11-13
Figure 11.8 Example and Instructions for Completing the Special Forest Products Scale Return and Transportation Document. ....	11-15
Figure 11.9 FS 200 – Load Description Slip/Christmas Tree Scale Return. ....	11-16
Figure 11.10 FS 701 – Volume Estimate - Other . ....	11-17
Figure 11.11 Site Arrival and Departure Ledgers.....	11-20
Figure 11.12 FS 649 – Load Description Slip. ....	11-21
Figure 12.1 Flow Diagram Outlining Selection of Scaling Methods and Forms. ....	12-18
Figure 12.2 A Pile of Posts Sorted to Size Classes and Ready for Sampling.....	12-21
Figure 12.3 Completed FS 222 for 100 Round Fence Posts.....	12-22
Figure 12.4 Completed FS 701 – Volume Estimate – Other Summarizing the FS 222 in Figure 12.3.....	12-23
Figure 12.5 Completed FS 222 with Split Product. ....	12-25
Figure 12.6 A Completed FS 701 – Volume Estimate – Other – Summarizes the Information from the FS 222 in Figure 12.7.....	12-26
Figure 12.7 A Completed FS 701 – Volume Estimate – Other Which Summarizes the Information on the FS 200. ....	12-28
Figure 12.8 Selecting a Sample Section from a Log Deck. ....	12-29
Figure 12.9 Two Methods of Measuring the Length and Height of a Pile. ....	12-31
Figure 12.10 Finding the Average Width of a Pile by Averaging Five Representative Tree Lengths.....	12-32
Figure 12.11 Squaring Up a Pile by taking Length Measurement at Exactly One-half the Height of the Pile. ....	12-32
Figure 13.1 A Loaded Logging Truck on the Platform of a Weight Scale.....	13-2
Figure 13.2 Conceptual Formula for Estimating Volumes.....	13-4
Figure 13.3 Conceptual Overview of Weight Scale Sampling. ....	13-9
Figure 13.4 In this Dartboard Example, the 3 Darts (x) are Precise but Inaccurate and Biased.....	13-10
Figure 13.5 Graphs to Show the Impact of Stratification. ....	13-13
Figure 14.1 An Approved and Active Sampling Plan as Shown in HBS Stratum Advisor. ....	14-15
Figure 15.1 An Example of an Application for a Scale Site (FS 1309).....	15-5
Figure 15.2 An Example of a Scale Site Authorization Letter. ....	15-9
Figure 15.3 enter fig name here. ....	15-11
Figure 15.4 Example of a Mark Site Designation (page 1). ....	15-13
Figure 15.5 Example of an Application to Take a Scaling Exam/Appointment as an Acting Scaler/Authorization to Scale at a Site.....	15-17
Figure 15.6 Completed Application for Authorization to Scale. ....	15-22
Figure 15.7 An Example of an Authorization to Scale (Page 1). ....	15-24
Figure 15.8 Scaling Site Inspection Report (Page1).....	15-32

## **Tables**

Table 5-1 Volumes of One Metre Cylinders in Cubic Decimetres..... 5-13

This page is intentionally left blank.